





Instruction Manue/

Tractor, Forklift and other agriculture machine seats designed for your comfort and driving pleasure. Thank you for choosing Star Tractor Seats. At this guideline, you will find technical features, functions and explanations on the use and care about STplus TV3 and STplus TV3-LX. Please keep it carefully.

For ergonomic usage, adjust the backrest for suitable position lifting the backrest lever. (CAUTION: PAY ATTENTION TO BACKREST ADJUSTMENT. IT MAY JERK FORWARD AND CAUSE INJURY!). You should adjust your seat's lenght according to steering wheel, brake and gas with slideway lever. The armrests can be folded up if required and the height individually adjusted. You can adjust your armrests's angle, too. For your health, you should adjust mechanical lumbar and backrest extension. For your safety, please fasten your seat belt. For decreasing accident risk, you should do all adjustments before driving. Assembling of the product that you have purchased should be done by an authorized service . In the event of incorrect assembly and/or repair, all warranty and liability claims shall be null and void. To prevent damage, adjust your seat according to your weight. Protect your seat from sunlight, snow and rain. Use grease oilfor metal and plastic parts. To extend life of the seat, keep your seat away from tree branches and cutters. Protect your seat's metal parts from chemical such as fertilizer and solvent.





## (12V/24V Air Compressor 9A)

- » Sliding base (Fore and aft adjustment of 190 mm.)
- » With suspension strake 140 mm.
- (Air spring & Hydraulic shock absorber)
- » Automatie Height 80mm & Weight adjustment (50kg.-130kg.)
- » Mechanical lumbar adjustment
- » Backrest adjustment (30° 85°)
- » Horizontal suspension
- (Fore & Aft isolator with damper-35mm travel)
- » Polyurethane seat cushion and backrest with vacuum design.

1- 12V-24V Electric cable

- 2- Foldable armrest adjustable (Option) 3- Double Slideway adjustment lever
- 4- Manuel air valf
- 5- Horizontal suspension
- 6- Foldable armrest (Option)
- 7- Automatie seat belt two points (Option)
- 8- Backrest adjustment lever
- 9- Mechanical lumbar adjustment 10- Adjustable backrest extension (Option)



yap1n1z. (EN) - Do assembly with suitable capscrews which is

MS or M10



hava tahliye olur.

adjusted automatically. When you pull the lever, the air discharges.indicator.



A-Adjust your backrest according to yourself. B-Adjust your angle to right or left with turn table adjustable lever. C-For optimum driving, adjust the seat's sledge fore and aft.



A -For a confortable driving,turn the 'V mechanic lumbar adjustment right or left.



A-You can adjust your armrest up and down. B-Adjust your armrest's angle for steeling. 'V C-Fasten your seat bell before driving.

0-Adjust the heating from low to high temperature.



(EN) -Adjust your headrest according to yourself.





	C/RC	CUIT
Battery		_
- outery		
	=으느	Line Compressor
╏╻╻╏		
Auto	32	Seal beli <u>Huckle</u> mecha <u>nis</u> m
Valve		
1 1	<b>3</b> i 29	Height MjvOnef'lt
	28	
	<del>27</del> 26	
	25 24	
	-23	
	22	Headrest Frame Cor
	21 20	Armrest Frame Left Seat belt slot
	19 18	Micro Switch
	17	Slideway Springs Seat Inner Plastic
	16	Seat Cushion Foam
	15	Polyurethane Armrest Right Plastic Cover Right
	13	Armrest Frame Right Backrest Foam
	12	Backrest Foam Backrest Extension Foam
		Backrest Exten sion Plastic
	9	Backrest Exten sion Frame
	-	Backrest Spring Backrest Inner Plastic
		Backrest Frame
	3	
	2	č
		<u>.t</u>
	2	
	2	t 
	2	3p 3p M8x15.BAKKOMSAN Seat beli SwitchTD:\$TI.
	2	t M8x15 B. AKKOMSAN Seat beli Switch LTD.\$Ti. Slideway Female M8x25 Bolt
	2	t M8x15 B: AKKOMSAN Seat belt LTD.\$TI. Switch LTD.\$TI. Slideway Female M8x25 Bolt Slideway Male M8x25 Bolt
	2	t M8x15 B Seat beli Switch LTD.\$TI. Sildeway Female M8x25 Bolt Sildeway Male M8x25 Bolt Sildeway Adjustment Lever
	2	t M8x15 B AKKOMSAN Seat beli Switch LTD.\$TI. Sideway Female M8x25 Bolt Sideway Male M8x25 Bolt Sideway Male M8x25 Bolt Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber
	2	t 30 M8x15 B Seat beli Switch LTD.\$TI. Slideway Female M8x25 Bolt Slideway Male M8x25 Bolt Slideway Male M8x25 Bolt Slideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Air Spring
	2	t M8x15B AKKOMSAN Seat beli Switch LTD.\$TI. Sideway Female M8x25 Bolt Sideway Male M8x25 Bolt Sideway Male M8x25 Bolt Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Seat Shock Absorber Profile Stopper Plastic Roller
	2	t M8x15 B M8x15 B Switch Switch LTD:\$TI. Slideway Female M8x25 Bolt Slideway Male M8x25 Bolt Slideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic
	2	t M8x15 B AKKOMSAN Seat beli Switch LTD.\$TI. Slideway Female M8x25 Bolt Slideway Male M8x25 Bolt Slideway Male M8x25 Bolt Slideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper
	2	t M8x15 B M8x15 B Switch Switch LTD.\$TI. Slideway Female M8x25 Bolt Slideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch
	2	t M8x15 B M8x15 B Switch Switch LTD.\$TI. Sideway Female M8x25 Bolt Sideway Male M8x25 Bolt Sideway Male M8x25 Bolt Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Tilt Gear Compressor Locker Clamps
	2	t M8x15 B. AKKOMSAN Seat beli Switch LTD.\$TI. Sideway Female M8x25 Bolt Sideway Male M8x25 Bolt Sideway Male M8x25 Bolt Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Till Gear Compressor Locker Clamps Height Adjustment Spindle Plastic
	2	t M8x15 B AKKOMSAN Seat bell LTD.\$TI. Switch LTD.\$TI. Sideway Female M8x25 Bolt Sideway Male M8x25 Bolt Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Tilt Gear Compressor Locker Clamps Height Adjustment Spindle Plastic Bottom Fixing Plate Compressor
	2	t M&15 B AKKOMSAN Seat beli Switch LTD.\$TI. Sideway Female M&25 Bott Sideway Male M&25 Bott Sideway Male M&25 Bott Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Till Gear Compressor Locker Clamps Height Adjustment Spindle Plastic Bottom Fixing Plate Compressor
	2	t M8x15 B. AKKOMSAN Seat beli Switch LTD.\$TI. Sideway Female M8x25 Bolt Sideway Male M8x25 Bolt Sideway Male M8x25 Bolt Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Till Gear Compressor Locker Clamps Height Adjustment Switch Backrest Till Gear Compressor Internal Shearing Mathematical Shearing Method Spindle Suspension Spring
	2	t M8x15 B AKKOMSAN Seat beli Switch LTD.\$TI. Sildeway Female M8x25 Bolt Sildeway Male M8x25 Bolt Sildeway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Tilt Gear Compressor Locker Clamps Height Adjustment Spindle Plastic Bottom Fixing Plate Compressor Internal Shearing Ø11,80 Spindle Suspension Spring Rubber Cover Center Piece
	2	t M8x15 B AKKOMSAN Seat bell Switch LTD.\$TI. Sideway Female M8x25 Bolt Sideway Male M8x25 Bolt Sideway Male M8x25 Bolt Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Tilt Gear Compressor Locker Clamps Height Adjustment Switch Backrest Tilt Gear Compressor Internal Shearing Ø11.80 Spindle Suspension Spring Rubber Cover Center Piece Valve
	2	t M8x15 B AKKOMSAN Seat bell Switch LTD.\$TI. Slideway Female M8x25 Bolt Slideway Male M8x25 Bolt Slideway Male M8x25 Bolt Slideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Pisfile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Tilt Gear Compressor Internal Shearing Ø11,80 Spindle Suspension Spring Rubber Cover Center Piece Valve Horizantal Suspension Plastic Horizantal Suspension Switch Plastic Horizantal Suspension Switch Plastic Horizantal Suspension Switch Plastic
	2	t M8x15 B M8x15 B Seat beli Switch LTD.\$Ti. Slideway Female M8x25 Bolt Slideway Male M8x25 Bolt Slideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Spindle Plastic Backrest Tilt Gear Compressor Locker Clamps Height Adjustment Spindle Plastic Bottom Fixing Plate Compressor Internal Shearing Ø11.80 Spindle Suspension Spring Rubber Cover Center Piece Valve Horizantal Suspension Plastic Horizantal Suspension Switch Plastic Horizantal Suspension Switch Spring Top Fixing Frame
	2	t M8x15 B AKKOMSAN Seat bell Switch LTD.\$TI. Slideway Female M8x25 Bolt Slideway Male M8x25 Bolt Slideway Male M8x25 Bolt Slideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Tilt Gear Compressor Locker Clamps Height Adjustment Spindle Plastic Bottom Fixing Plate Compressor Internal Shearing Ø11.80 Spindle Suspension Spring Rubber Cover Center Piece Valve Horizantal Suspension Switch Plastic Horizantal Suspension Switch Spring Top Fixing Frame
	2	t M8x15 B M8x15 B Seat beli Switch LTD.\$TI. Slideway Female M8x25 Bolt Slideway Male M8x25 Bolt Slideway Male M8x15 Bolt M8x16 Constant Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Spindle Plastic Backrest Tilt Gear Compressor Locker Clamps Height Adjustment Spindle Plastic Bottom Fixing Plate Compressor Internal Shearing Ø11.80 Spindle Suspension Spring Rubber Cover Center Piece Valve Horizantal Suspension Plastic Horizantal Suspension Switch Plastic Horizantal Suspension Switch Spring Top Fixing Frame
	2	t M8x15 B AKKOMSAN Seat beli Switch LTD.\$TI. Sideway Female M8x25 Bolt Sideway Male M8x25 Bolt Sideway Male M8x25 Bolt Sideway Adjustment Lever Horizantal Shock Absorber Seat Shock Absorber Seat Shock Absorber Air Spring Profile Stopper Plastic Roller Height Adjustment Spindle Plastic External Shearing Rubber Stopper Height Adjustment Switch Backrest Tilt Gear Compressor Locker Clamps Height Adjustment Spindle Plastic Bottom Fixing Plate Compressor Internal Shearing Ø11,80 Spindle Suspension Spring Rubber Cover Center Piece Valve Horizantal Suspension Switch Plastic Horizantal Suspension Switch Plastic Horizantal Suspension Switch Spring Top Fixing Frame Suspension Lock Frame Rubber Cover

®

Χ